


Description

SemiGen's Inductor Coils are manufactured using our thin film process on quartz substrates. The precision photolithography and non-chemical etching process provides clean edges to assure uniformity from coil to coil. By using quartz and applying a polyimide coating we produce a device that eliminates the need for conformal coating or staking. Inductors can be epoxied down with nonconductive epoxy and the wire bonded for connection.



Features

- Quartz substrate
- Thin film, planar structure
- Polyimide protective coating
- Wire bondable
- RoHS compliant

Applications

For use in Attenuators, Amplifiers, Switches and Filters in replacement of conventional wound coils. Operating frequency is up to 20GHz.

Absolute Maximum Ratings^{1,2}

Parameter	Absolute Maximum
Operating Temperature	-55°C to +125°C
Storage Temperature	-65°C to +175°C
Moisture Sensitivity Rating	MSL 1

Static Sensitivity

These electronic devices are sensitive to electrostatic discharge (ESD) and can be damaged by static electricity. Proper ESD control techniques should be used when handling these devices.

Moisture Sensitivity

SemiGen attenuators are MSL 1.


1. Exceeding any one or combination of these limits may cause permanent damage to this device.
2. SemiGen does not recommend sustained operation near these survivability limits.

Available Parts


Part#	# of Turns	Series Inductance			Series Resistance		SRF Typ GHz	Test Frequency (FT) GHz	Q Factor@FT		Outline
		Min	Typ nH	Max	DC Ω	1GHz Ω			Min	Max	
SG100	1.5	1.0	1.5	2.0	8.5	1.0	4.0	1.5	60	75	
SG101	2.5	2.0	2.3	2.6	1.0	1.4	3.6	1.5	50	60	
SG102	3.5	3.6	4.2	5.0	1.2	2.0	3.2	1.5	40	45	
SG103	4.5	5.0	7.5	9.0	1.8	3.5	2.3	1.5	37	43	
SG104	5.5	8.0	10.0	12.0	1.9	3.8	2.1	1.0	33	38	
SG105	7.5	15.0	20.0	25.0	2.4	4.3	1.9	0.5	27	33	
SG106	9.5	32.0	40.0	48.0	4.0	70.0	1.4	0.5	23	27	
SG107	12.5	80.0	90.0	100.0	9.5	22.0	1.0	0.5	18	24	
SG108	15.5	150.0	200.0	250.0	16.5	36.0	0.5	0.5	14	18	
SG109	18.5	250.0	300.0	350.0	20.0	42.0	0.3	0.5	10	15	

Outline

Part#	Max Dimensions (Inches)		
	A	B	C
SG100	.030	.030	.012
SG101	.030	.030	.012
SG102	.040	.040	.012
SG103	.040	.040	.012
SG104	.040	.040	.012
SG105	.045	.045	.012
SG106	.055	.055	.012
SG107	.065	.065	.012
SG108	.075	.075	.012
SG109	.085	.085	.012



Device Orientation Within Packaging



SemiGen All rights reserved.

Information in this document is provided in connection with Semi-General Inc ("SEMIGEN") products. These materials are provided by SEMIGEN as a service to its customers and may be used for informational purposes only. Except as provided in SEMIGEN's Terms and Conditions of Sale for such products or in any separate agreement related to this document, SEMIGEN assumes no liability whatsoever. SEMIGEN assumes no responsibility for errors or omissions in these materials. SEMIGEN may make changes to specifications and product descriptions at any time, without notice. SEMIGEN makes no commitment to update the information and shall have no responsibility whatsoever for conflicts or incompatibilities arising from future changes to its specifications and product descriptions. No license, express or implied, by estoppels or otherwise, to any intellectual property rights is granted by this document.

THESE MATERIALS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, RELATING TO SALE AND/OR USE OF SEMIGEN PRODUCTS INCLUDING LIABILITY OR WARRANTIES RELATING TO FITNESS FOR A PARTICULAR PURPOSE, CONSEQUENTIAL OR INCIDENTAL DAMAGES, MERCHANTABILITY, OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT. SEMIGEN FURTHER DOES NOT WARRANT THE ACCURACY OR COMPLETENESS OF THE INFORMATION, TEXT, GRAPHICS OR OTHER ITEMS CONTAINED WITHIN THESE MATERIALS. SEMIGEN SHALL NOT BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOST REVENUES OR LOST PROFITS, WHICH MAY RESULT FROM THE USE OF THESE MATERIALS.

SEMIGEN products are not intended for use in medical, lifesaving or life sustaining applications. SEMIGEN customers using or selling SEMIGEN products for use in such applications do so at their own risk and agree to fully indemnify SEMIGEN for any damages resulting from such improper use or sale.